

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Arbor

VK/04700/CG/W




White/Champagne Gold. 3000K. 10W. 1041lm. AC220-240V. LED SMD SANAN. Driver Xing Yuan. Table light. -20°C → 45°C. 50.000hrs. Clicks 20.000. Dimmable No. CRI>90. With on/off switch. Glass+Aluminum. IP20

IP20



Dimensions



Gallery





Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	10W
Voltage	AC220-240V
Fitting	Table
Type	Light
Safety class	
Light source	SMD SANAN
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20,000
Driver	Xing Yuan
Working temperature	-20°C-45°C
PAGE	114 New Products 2026
NICKNAME	Arbor

Physical Specifications	
Family	Arbor
Color	White/Champagne Gold
Material	Glass + Aluminum
Width	ø20cm
Length	ø20cm
Height	41.7cm
Net weight of product (kg)	2.6kg
Gross weight with inner box (kg)	3.85kg
Width (inner box)	27cm
Length (inner box)	46.8cm
Height (inner box)	27.3cm

Illumination Data	
Lumen	1041lm
Lighting direction	

Packing Info	
Pcs/carton	4pcs

Certification & Warranty	
Guarantee	2 years