

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Halo

VK/04679/PE/D/WW-BW/W




Walnut wood. 3000K. 20W. 2800lm. AC220-240V. LED Ledstrip. Driver Eaglerise. Ceiling/pendant. -10°C → 40°C. 30.000hrs. Dimmable Yes, Triac. CRI>80. Walnut wood, fabric cable, metal canopy. IP20


IP20



Dimensions



Gallery





Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	20W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	Ledstrip
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
Driver	Eaglerise
Cable Length	200cm
Working temperature	-10°C-40°C
PAGE	160 New Products 2026
NICKNAME	Halo

Physical Specifications	
Family	Halo
Color	Walnut wood
Material	Walnut wood, fabric cable, metal canopy
Width	15cm
Length	128cm
Height	5.7 + 3.5 (+200cm of cable)
Net weight of product (kg)	2.20kg
Gross weight with inner box (kg)	3.00kg
Width (inner box)	26.5cm
Length (inner box)	141.5cm
Height (inner box)	14.5cm

Illumination Data	
Lumen	2800lm
Lighting direction	

Packing Info	
Pcs/carton	1pc

Certification & Warranty	
Guarantee	2 years