


LEADING LIGHT

vkleadinglight.gr

VK/04612/TL/TB-B/WW



CE

Downloads

[illegible]

Since 1978

Technical Specifications	
Kelvin	2700K
Power	6W
Voltage	220-240V
Fitting	Recessed ceiling trimless
Type	Downlight LED
Safety class	
Light source	Bridgelux
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Working temperature	<45°C
PAGE	178 Technical 2024
NICKNAME	Coko

Physical Specifications	
Adjustable	
Recessed ceiling	Yes
Trimless	Yes
Rotation	Orizontal 355°, Vertical 90°
Color	Titanium bronze+Black
Material	Aluminium+PMMA lens
Width	ø3.5cm
Length	ø3.5cm
Height	7.3cm
Net weight of product (kg)	0.29
Gross weight with inner box (kg)	0.35
Gross weight with master box (kg)	13.2
Cut out	ø5cm
Width (inner box)	14cm
Length (inner box)	14cm
Height (inner box)	7.5cm

Illumination Data	
Lumen	557lm
Beam angle	24°
Lighting direction	

Packing Info	
Pcs/carton	36pcs

Certification & Warranty	
Guarantee	5 years