

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr


Dream

VK/04348/B/W/35

Recessed adjustable light led, Trimless, 17W, 3000K, 2.202lm, 110°, IP20, ø25cm, black



IP20     

Dimensions	Gallery	Downloads																	
	 Trimless adjustable downlights LED Dream  PRODUCT DATA <table><tr><th>Model</th><th>Power</th><th>Color Temperature</th><th>Beam Angle</th><th>Light Output</th><th>Material</th><th>Finish</th><th>Weight</th><th>Dimensions</th></tr><tr><td>VK/04348/B/W/35</td><td>17W</td><td>3000K</td><td>110°</td><td>2.202lm</td><td>Aluminum</td><td>Black</td><td>0.5kg</td><td>ø25cm x 8.8cm</td></tr></table> 100%	Model	Power	Color Temperature	Beam Angle	Light Output	Material	Finish	Weight	Dimensions	VK/04348/B/W/35	17W	3000K	110°	2.202lm	Aluminum	Black	0.5kg	ø25cm x 8.8cm
Model	Power	Color Temperature	Beam Angle	Light Output	Material	Finish	Weight	Dimensions											
VK/04348/B/W/35	17W	3000K	110°	2.202lm	Aluminum	Black	0.5kg	ø25cm x 8.8cm											

Technical Specifications	
Kelvin	3000K
Power	17W
Voltage	220-240V
Fitting	Recessed trimless adjustable downlight
Type	LED light
Safety class	
Light source	SMD 2835
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Working temperature	< 45°C
PAGE	336 Technical 2024
NICKNAME	Dream

Physical Specifications	
Recessed ceiling	Yes
Trimless	Yes
Rotation	Yes, 20° & 350°
Color	Black
Material	Aluminium
Width	ø25cm
Length	ø25cm
Height	8.8cm
Net weight of product (kg)	2.50
Gross weight with inner box (kg)	2.73
Gross weight with master box (kg)	11.78
Cut out	ø30cm H8.8cm

Illumination Data	
Lumen	2.202lm
Beam angle	110°
Lighting direction	

Packing Info	
Pcs/carton	4pcs

Certification & Warranty	
Guarantee	3 years

Energy Label

ENERGY

VK LEADING LIGHT

VK/04348/B/W/35

A

B

C

D

E

F

G

E

17

kWh/1000h



2019/2015